## NUTRI-BODY TM Questionnaire

written permission of the author.

copyright © David 1	Rowland, PhD 1993
NAME (Please Print)	Scx Age
ADDRESS	Phone
CITYPF	ROV POSTAL CODE
DATE   First Test	Repeat Test Date of Last Test
This questionnaire is designed to assess bodily sign purpose is to educate and to inform. It is not int that you may have a medical problem, please see FORM: If any part of a statement is true for beside it. Use "1" for "sometimes" or "mild", "2" or "severe". Skip over all statements which do not be seen to	ns which may relate to nutritional imbalance. Its solvended to diagnose disease conditions. If you suspect competent medical care. TO COMPLETE THIS you, PLACE a "I", "2" OR "3" in the BRACKETS for "often" or "moderate", and "3" for "very often of apply to you. At the end of each section, total the indicated. Do not "agonize" over any statement
SECTION 1	SECTION 3
<ul> <li>Indigestion or sourness 2 to 3 hr. after meals.</li> <li>Abdominal bloating, distension.</li> <li>Full, loggy feeling after heavy meat meal.</li> <li>Loss of former taste or craving for meat.</li> <li>Excessive gas, belching or burping after meals.</li> <li>Heavy, tired feeling after eating.</li> <li>Constipation.</li> <li>Burning sensation in stomach.</li> <li>[ ] TOTAL x 6 = Sec. 1 SCORE [ ]</li> </ul>	<ul> <li>Diarrhea without apparent cause.</li> <li>Mucous shreds in stools.</li> <li>Have more than 3 bowel movements per day.</li> <li>Painful, hard bowel movements.</li> <li>Thin, pencil-like bowel movements.</li> <li>Alternating constipation and diarrhea.</li> <li>Hemorrhoids or rectal fissure.</li> <li>TOTAL x 7 = Sec. 3 SCORE</li> </ul>
SECTION 2	SECTION 4
Consistent gas & bloating from most foods.  Fats/greasy foods cause nausea, headaches.  Onions, cabbage, radishes, cucumbers cause bloating, gas, distress.  Stool appears yellow, clay-coloured, foul odoured.  Skin oily on nose and forehead.  Constipation.  Bad breath/bad taste in mouth, excess body odour.  TOTAL x 7 = Sec. 2 SCORE [ ]  LL RIGHTS RESERVED. No part of this form	<ul> <li>[ ] Excess fluid retention (edema) in hands or feet.</li> <li>[ ] Nausea or dizziness.</li> <li>[ ] Poor co-ordination.</li> <li>[ ] General, overall weakness.</li> <li>[ ] Anemia.</li> <li>[ ] Cataracts.</li> <li>[ ] Catch colds, flu, infections easily.</li> <li>[ ] Cuticles tear easily.</li> <li>[ ] Muscle wasting.</li> <li>[ ] Premature aging.</li> <li>[ ] Low hormone levels.</li> <li>[ ] Hair dull, dry, sparse, loose and falling out.</li> </ul>
ay be reproduced or transmitted in any form or y any means, including photocopying, or by any	[ ] TOTAL x 4 = Sec. 4 SCORE [ ]
formation and retrieval system, without prior	CONTINUED

	SECTION 5
SECTION 5	Pale skin, palms of hands very pale.
	Pale Skill, paints of hards very parts
[ ] Rough, dry, flaky or scaly skin.	[ ] Fingernails very light in colour.
Dry, brittle hair.	[ ] Fingernails flat or concave (spoon-shaped).
Wounds heal poorly.	Thin, fragile, brittle nails.
	Inner side of lower eyelid is pale.
[ ] Get infections easily.	Lack of endurance or stamina, anemia.
	Cravings for ice, ice eating.
[ ] TOTAL x 12 = Sec. 5 SCORE [ ]	[ ] Oravings to too, too samig.
	[ ] TOTAL x 7 = Sec. 9 SCORE [ ]
	[ ] TOTAL XT = DCC. 3 DOUBLE [ ]
SECTION 6	
[ ] Brittle fingernails.	SECTION 10
Pain in forearm or biceps.	
Cramps in calf muscle during sleep or exercise.	[ ] Irritable nerves or muscles, nervous tics/twitches.
Painful cramping of feet or toes.	Muscle spasms, tremors, convulsions or seizures.
Joint pains.	[ ] Irregular heartbeat.
Teeth crowded, with poor placement in mouth.	
	Painful and cold hands or feet.
[ ] Teeth prone to decay, frequent toothaches.	[ ] Excessive body odour.
[ ] Poor quality or malformation of bones.	[ ] Loose or sensitive teeth.
[ ] Nervous tics or twitches.	[ ] Anxiety, confusion, disorientation, irritability.
[ ] Nervousness or irritability.	[ ] Nausea, dizziness or lightheadedness.
[ ] Unusual sensitivity to noise.	Mental depression or apathy.
I Insomnia.	[ ] Hypersensitivity to noise.
Heart palpitations.	
	Poor co-ordination.
[ ] FEMALE: Excessive, lengthy, painful menses.	[ ] Cravings for chocolate
	[ ] Insomnia, restlessness, hyperactivity.
[ ] TOTAL x 4 = Sec. 6 SCORE [ ]	[ ] Bone spurs.
	[ ] High blood pressure.
SECTION 7	[ ] TOTAL x 3 = Sec. 10 SCORE [ ]
The second secon	t 1 to the A o = ood. To ood the term
[ ] High cholesterol in blood.	
Intolerance to alcohol.	SECTION 11
[ ] Glucose intolerance, hypoglycemia, diabetes.	
	[ ] Prone to athletic injuries, strained knees, elbow.
[ ] TOTAL x 16 = Sec. 7 SCORE [ ' ]	Loss of ligament tone or strength.
	Muscular weakness.
	Nervous degeneration.
SECTION 8	[ ] Netvous degeneration.
DECTION 8	1 TOTAL 40 0 44 00000
	[ ] TOTAL x 12 = Sec. 11 SCORE [ ]
Dry hair.	
[ ] Brittle nails.	
Slow mental reactions.	SECTION 12
High cholesterol in blood.	THE PARTY AND TH
	1. 1 Curaling of public as beeds
Enlargement of thyroid gland, goitre.	[ ] Swelling of ankles or hands.
Heart palpitations.	Dry skin.
] Irritability.	[ ] Slow, rapid or irregular heartbeat, palpitations.
Overweight, obesity.	[ ] Constipation.
] Sluggish metabolism.	Unusual thirst.
Constipation.	Unusually sore or stiff muscles after exercising.
• • • • • • • • • • • • • • • • • • • •	[ ] High blood pressure.
[ ] TOTAL x 5 = Sec. 8 SCORE [ ]	[ ] riigh blood pressure.
1 1 1011/1 V 0 - 000" 0 000 UE [ ]	

SECTION 13	SECTION 10
<ul> <li>Muscular degeneration, muscular dystrophy.</li> <li>Weakened heart fissue, cardiomyopathy.</li> <li>Cancer.</li> <li>Cataracts.</li> <li>Cystic fibrosis.</li> <li>TOTAL x 10 = Sec. 13 SCORE</li> </ul>	<ul> <li>[ ] Heart palpitations or gallop rhythm.</li> <li>[ ] Slow heart beat or rapid heart beat.</li> <li>[ ] Enlarged heart.</li> <li>[ ] Diastolic blood pressure over 90.</li> <li>[ ] Forgetfulness, poor memory, short attention span.</li> <li>[ ] Muscular tenderness, weakness or wasting.</li> <li>[ ] Irritability.</li> <li>[ ] Feel depressed.</li> <li>[ ] Loss of appetite or loss of weight.</li> </ul>
SECTION 14	Numbness, pricking or tingling in hands or feet.  Loss of ankle or knee jerk reflexes.
[ ] Cuts, wounds, sores heal slowly. [ ] Hair or nails grow slowly. [ ] Loss of sense of smell or taste. [ ] Catch infections easily.	Poor co-ordination.     Stiffness or swelling in ankles, feet or legs.     Tramping pains in legs.     Tenderness in calf muscle under pressure.     Constipation.
[ ] Brittle nails. [ ] White spots on fingernails.	[ ] TOTAL x 3 = Sec. 16 SCORE [ ]
[ ] Acne.	
[ ] Stretch marks.	
[ ] Sterility or impotence. [ ] White coating on tongue.	SECTION 17
Loss of appetite, anorexia.	
[ ] Sleep disturbances. [ ] Diarrhea. [ ] MALE: Prostate problems. [ ] TOTAL x 4 = Sec. 14 SCORE [ ]	[ ] Cracks or sores in corner of mouth. [ ] Reddish-purple (magenta) coloured tongue. [ ] Shiny, sore or swollen tongue. [ ] Lips red, white, scaly, swollen or chapped. [ ] Conjunctivitis. [ ] Cataracts. [ ] Sensation of sand on inside of eyelids.
	Eyes sensitive to light or dimming of vision.
SECTION 15	[ ] Eyes red, itchy, burning. [ ] Red lines in whites of eyes.
Poor night vision, unable to see well in dim light.	See spots before the eyes.
Eyes sensitive to glare, sunlight or bright lights.	Abnormally greasy or scaly skin around nose.
[ ] Inability to adjust eyes when entering a dark room.	Shrinking or "disappearing" upper lip.     Falling hair, abnormal hair loss.
[ ] Dry eyes. [ ] Eyelids red, scaly or dry.	Oily hair.
Experior red, scary or dry.  [ ] Eye inflammations, discharge, mattering, eyelids	
swollen or pus laden.	[ ] TOTAL x 3 = Sec. 17 SCORE [ ]
[ ] Get colds or respiratory infections easily.	
<ul><li>[ ] Sinus problems.</li><li>[ ] Abscesses in ears, mouth or salivary glands.</li></ul>	SECTION 18
Brittle hair.	
Dry, rough or scaly skin.	[ ] Diarrhea.
Hard "goosebumps" on back of arms that won't go	[ ] Chapping of backs of hands. [ ] Itchy, red or inflamed skin, dermatitis.
away. [ ] Acne, pimples or blackheads.	I Irritability, anxiety or depression.
Warts	Mental aberrations or schizophrenia.
[ ] Kidney, urinary or bladder infections, burning or itching when urinating.	[ ] Loss of sense of humour. [ ] Indigestion.

CONTINUED .....

1 | TOTAL x 3 = Sec. 15 SCORE | 1

Section 18 (cont'd)	SECTION 21
<ul> <li>[ ] Small ulcers or canker sores in mouth.</li> <li>[ ] Burning sensation in hands or feet.</li> <li>[ ] Insomnia.</li> <li>[ ] Whitish, coated tongue.</li> <li>[ ] Brilliant red, painful tongue.</li> <li>[ ] Swollen tongue with red tips and sides.</li> <li>[ ] Feel as if hands or feet go numb.</li> </ul>	<ul> <li>Skin shiny, dry and scaly.</li> <li>Tongue purplish-red (magenta) swollen &amp; painful.</li> <li>Nausea.</li> <li>Muscular pains.</li> <li>Mental depression.</li> <li>Poor appetite.</li> <li>Fingernails a pale colour.</li> <li>Sleeplessness.</li> </ul>
[ ] TOTAL x 4 = Sec. 18 SCORE [ ]	[ ] Irregular heart beat. [ ] Hair loss. [ ] Extreme weariness, exhaustion.
SECTION 19	[ ] TOTAL x 5 = Sec. 21 SCORE []
<ul> <li>[ ] Irritability or nervousness.</li> <li>[ ] Feel confused.</li> <li>[ ] Can't remember dreams.</li> <li>[ ] Dizziness.</li> </ul>	
<ul><li>[ ] Swelling of hands, feet or ankles (edema).</li><li>[ ] Unable to close hands into tight, flat fists.</li></ul>	SECTION 22
<ul> <li>Soreness, tenderness, weakness of thumb muscles.</li> <li>Greasy scaliness on skin near nose, mouth, eyes.</li> <li>Greenish tint to urine.</li> <li>Muscular twitching.</li> <li>Hyperactivity.</li> </ul>	Eczema.     High blood pressure.     High cholesterol levels.     Bleeding ulcer.     Have difficulty losing weight.
<ul> <li>Poor co-ordination in walking.</li> <li>FEMALE: Nausea of pregnancy.</li> <li>FEMALE: Acne worse during periods.</li> </ul>	[ ] TOTAL x 10 = Sec. 22 SCORE [ ]
[ ] TOTAL x 4 = Sec. 19 SCORE [ ]	
SECTION 20	SECTION 23
SECTION 20	[ ] Tongue red, shiny, smooth and painful.
Sore, beefy red tongue.	[ ] Ulcers in mouth.
<ul><li>Lemon-yellowish tint to skin, pale complexion.</li><li>Numbness, tingling, soreness or weakness in hands</li></ul>	[ ] Red, swollen or bleeding gums. [ ] Intestinal malabsorption, sprue.
or feet.	[ ] Diarrhea.
[ ] Jerking of limbs.	[ ] Heart palpitations.
[ ] Memory loss. [ ] Stammer.	[ ] Swelling of ankles. [ ] Lightheadedness, faintness.
Apathy, feel as if have lost incentive in life.	Apathy or depression.
[ ] Depression, irritability or moodiness.	[ ] Forgetfulness.
[ ] Anemia.	[ ] Loss of appetite, weight loss.
Paranoia, delusions or hallucinations:     Loss of appetite.	[ ] Greying hair. [ ] Excess pigmentation of skin.
Confusion, disorientation or agitation.	[ ] Irritable, agitated, brooding or self-conscious.
Back pains.	[ ] Anemia.
Dizziness.	
Dimmed vision.	[ ] TOTAL x 3 = Sec. 23 SCORE [ ]
Poor stomach digestion, low stomach acid. FEMALE: Menstrual disturbances.	

1 1 TOTAL x 3 = Sec 20 SCORF [

Section 26 (cont'd)
[ ] Anemia. [ ] Fragile bones.  [ ] TOTAL x 3 = Sec. 26 SCORE [ ]  SECTION 27
[ ] Burning in mouth and throat. [ ] Poor bone development. [ ] Abnormal number of dental cavities. [ ] Osteoporosis (demineralized bone). [ ] Osteomalacia (softening of bone). [ ] Rickets (bowlegs, knock-knees). [ ] Joint pains. [ ] Muscular cramps. [ ] Nearsightedness, myopia. [ ] Nervousness. [ ] Insomnia. [ ] Constipation. [ ] TOTAL x 5 = Sec. 27 SCORE [ ]  SECTION 28 [ ] Muscular swelling or wasting, muscular dystrophy. [ ] Brittle and falling hair. [ ] Hemolytic anemia. [ ] FEMALE: Menstrual discomfort. [ ] MALE: Low sex drive.
[ ] TOTAL x 12 = Sec. 28 SCORE [ ]
SECTION 29  [ ] Rough skin. [ ] Excessive perspiration. [ ] Loss of former taste or craving for meat. [ ] Nausea, inclination to vomit. [ ] Potatoes disagree. [ ] Belching accompanied by head colds. [ ] Constipation accompanied by throbbing headaches. [ ] Numbness, stiffness or loss of sensation in arms or legs. [ ] Stitching or burning pain in head with dizziness, relieved by eating. [ ] Poor or failing memory. [ ] TOTAL x 5 = Sec. 29 SCORE [ ]

SECTION 30	Section 33 (cont <sup>1</sup> d)
[ ] High or low blood pressure. [ ] Anemia. [ ] Emphysema. [ ] Kidney disease.	<ul> <li>[ ] Mental disturbances or personality changes.</li> <li>[ ] Poor memory.</li> <li>[ ] Depression or uncontrollable crying.</li> <li>[ ] Metallic taste in mouth.</li> <li>[ ] Allergic tendencies.</li> </ul>
[ ] TOTAL x 12 = Sec. 30 SCORE [ ]	Loss of self-confidence.     Food cravings.     Facial and back pain.     Loss of appetite.
	[ ] Irritability.
SECTION 31	[ ] TOTAL x 3 = Sec. 33 SCORE [ ]
[ ] Nausea or vomiting. [ ] Abdominal pain. [ ] Diarrhea.	
[ ] Excessive hair loss. [ ] Hyperactivity, irritability or nervousness. [ ] Depression.	SECTION 34
[ ] TOTAL x 8 = Sec. 31 SCORE [ ]	<ul> <li>[ ] High blood pressure.</li> <li>[ ] Irritability, restlessness, excitement.</li> <li>[ ] Nausea, vomiting.</li> <li>[ ] Convulsions.</li> <li>[ ] Tremors.</li> </ul>
SECTION 32	[ ] Frequent urination. [ ] Irregular heartbeat.
[ ] Constipation. [ ] Cramps or vague abdominal aches or discomfort. [ ] Dizziness. [ ] Anxiety or irritability [ ] Nervousness or restlessness.	[ ] Ringing sound in ear, tinnitus.  [ ] TOTAL x 6 = Sec. 34 SCORE [ ]
<ul><li>[ ] Lack of ambition, apathy or depression.</li><li>[ ] Hand tremors.</li><li>[ ] Poor co-ordination.</li></ul>	SECTION 35
Sallow complexion, greyish-greenish-yellow tint.     Convulsions, seizures.     Paralysis.	<ul><li>[ ] High blood pressure.</li><li>[ ] Shingles, hives.</li><li>[ ] Anemia.</li></ul>
[ ] Catch colds, infections easily. [ ] Vomiting. [ ] CHILDREN: Hyperactivity.	[ ] TOTAL x 16 = Sec. 35 SCORE [ ]
[ ] TOTAL x 4 = Sec. 32 SCORE [ ]	
	SECTION 36
SECTION 33	<ul><li>[ ] Whitish, yellowish or brown mottling or discoloration of teeth.</li><li>[ ] Pitting of teeth.</li></ul>
Tremors or poor co-ordination. Inflamed gums. Loss of ability to speak. Inflam blood pressure	[ ] Nausea or vomiting. [ ] Pain and aching of bones and spine.  [ ] TOTAL x 12 = Sec. 36 SCORE [ ]

SECTION 37	Section 39 (cont'd)
<ul> <li>[ ] Excitement.</li> <li>[ ] Confusion.</li> <li>[ ] Depression.</li> <li>[ ] Muscular twitching.</li> <li>[ ] Abdominal cramps.</li> <li>[ ] Spasmodic muscular contractions.</li> <li>[ ] Heart palpitations.</li> <li>[ ] Rapid breathing.</li> </ul>	[ ] Inferiority complex. [ ] Unusual craving for salt. [ ] Perspire excessively. [ ] Tend to be negative. [ ] More than usual neck, head, shoulder tension. [ ] TOTAL x 3 = Sec. 39 SCORE [ ]
SECTION 38  [ ] High blood pressure. [ ] Stools dry, shrunken. [ ] Excess fluid retention, edema. [ ] Stomach ulcers. [ ] Tremors, convulsions or seizures. [ ] Irritability. [ ] Excessive thirst or excessive urination.	SECTION 40  [ ] Persistent high blood pressure. [ ] Rapid pulse. [ ] Fluid retention of facial tissues, puffy face. [ ] Stronger than average physically. [ ] Strong feelings, tend to "blow up", dislike being crossed. [ ] FEMALE: Excess hair on face, arms, legs. [ ] MALE: Baldness, excess hair on arms and back, muscular "square" build, aggressive in business or sports.
[ ] TOTAL x 7 = Sec. 38 SCORE [ ]  SECTION 39	[ ] TOTAL x 8 = Sec. 40 SCORE [ ]
<ul> <li>[ ] Eyes sensitive to bright lights, headlights, sunlight.</li> <li>[ ] Tightness or "lump" in throat, hurts when emotionally disturbed.</li> <li>[ ] Form gooseflesh easily or "cold sweats".</li> <li>[ ] Voice rises to high pitch or is "lost" during stress, arguments, public appearances, etc.</li> <li>[ ] Easily shaken up or startled, heart pounds hard from unexpected noise.</li> <li>[ ] Prefer being alone, uneasy when centre of attention.</li> <li>[ ] Blood pressure fluctuates, sometimes too low.</li> <li>[ ] Blood pressure decreases when going from a lying position to a standing position.</li> <li>[ ] Known as a "perfectionist", set high standards.</li> <li>[ ] Avoid complaints, try to ignore discomforts or inconveniences.</li> <li>[ ] Work off worries, things left undone cause unusual concern.</li> <li>[ ] Allergies, such as skin rash, dermatitis, hay fever, severe sneezing attacks, asthma, etc.</li> <li>[ ] Emotional upsets cause complete exhaustion, must go and lie down when under heavy stress.</li> </ul>	FEMALE:  [ ] Irregular or discomforting menstrual periods.  [ ] Menopausal symptoms: hot flashes, nervousness, depression.  [ ] Have had uterus and/or ovaries removed.  [ ] Lost or diminished sex drive.  [ ] Feel nervous or depressed before periods.  [ ] Unable to have children because of sterility (not because of age or operation).  [ ] TOTAL x 8 = Sec. 41 SCORE [ ]  MALE:  [ ] Difficulty urinating starting, burning.  [ ] Above associated with back or leg pains.  [ ] Have to urinate more than twice during night.  [ ] Prostate trouble or prostate surgery.  [ ] Lost or diminished sex drive.
	[ ] TOTAL x 10 = Sec. 41 SCORE [ ]

SECTION 42	Section 44 (cont'd)
<ul> <li>Burning sensation upon urination.</li> <li>High diastolic blood pressure (above 90).</li> <li>Lower back pains.</li> <li>Puffiness around eyes.</li> <li>Have to urinate more than twice per night.</li> <li>Legs often feel heavy.</li> </ul>	[ ] Feelings dominate over logic. [ ] Abdominal "apron" of fat. [ ] Fluid swelling in ankles, fingers, feet or undereyes. [ ] FEMALE: Loss of menstrual function.
Unable to control flow of urine, incontinence.  Joint pains.  Anemia.	[ ] TOTAL x 4 = Sec. 44 SCORE [ ]  SECTION 45
į j. monus	DBOTTON 40
[ ] TOTAL x 6 = Sec. 42 SCORE [ ]	<ul> <li>[ ] Stomach pain 5 or 6 hr. after eating, usually at night, relieved by eating or by drinking milk.</li> <li>[ ] Above complaints aggravated by worry/tension.</li> </ul>
SECTION 43	[ ] TOTAL x 25 = Sec. 45 SCORE [ ]
[ ] Pain on inside of left shoulder blade.	
[ ] Pain on left side of abdomen.	SECTION 46
Shingles on trunk of body.  Cold hands or feet.	
Feel cold and sweaty.	Susceptible to flu, infections.     Swollen glands in armpit, groin, tonsils.
[ ] Shakiness.	[ ] Feeling of puffiness in throat.
[ ] Slow healing of wounds, cuts, abrasions.	[ ] Soreness on both sides of neck at shoulder level.
[ ] Constant, intense thirst.	[ ] Irregular heartbeat.
Urinate more than 2 litres daily.	[ ] More than usual number of cavities.
<ul><li>[ ] Breath smells sweet or of acetone.</li><li>[ ] Peculiar sensations in hands or feet tingling.</li></ul>	[ ] Look older than chronological age.
burning, sharp jabs, numbness, etc.	1 1 TOTAL v.7 Con 46 CCODE 1 1
[ ] Vision failing.	[ ] TOTAL x 7 = Sec. 46 SCORE [ ]
Urine contains sugar.	***************************************
[ ] Moody with marked ups and downs, elations or	SECTION 47
depressions, hyperactivity or laziness.	
[ ] Vague, unrelated complaints which can be relieved	[ ] Muscles stiff in morning, feel need to limber up.
by eating, only to return with a vengeance.  [ ] Cold sweats of the hands even when warm.	[ ] Feel "creaky" after sitting still for some time.
[ ] Fainting, blacking out or convulsions.	[ ] Heart seems to miss beats or turn 'flip-flops'.
[ ] Taining, oldering out of convalidations.	[ ] These symptoms worse at night: coughing,
[ ] TOTAL x 3 = Sec. 43 SCORE [ ]	hoarseness, muscle cramps.  [ ] Nauseated in morning.
	[ ] Start slow in morning, gain speed in afternoon.
	Motion sickness when travelling.
	[ ] Dizzy in morning or when moving up and down.
SECTION 44	[ ] Cold hands or feet.
L 1 Cold hands or fact noted all accom	[ ] Sensitivity to cold, prefer warm climate.
Cold hands or feet, cold all over.     Infertility or impotence.	[ ] Hair scanty, dry, brittle, dull, lustreless, lifeless.
[ ] Headaches affecting one side of head.	[ ] Flaky, dry, rough skin. [ ] Sleeplessness, restlessness.
Excessive urination.	Poor short term memory, forgetfulness.
[ ] Left upper neck pain.	Poor response to exercising.
[ ] Left little finger pain.	[ ] Hypoglycemia (low blood sugar).
Overweight from waist down.	[ ] High cholesterol.
Overweight from waist up.	
[ ] Feelings of inadequacy.  I 1 Changeable temperament mondy	CONTINUED
I I I I I I I I I I I I I I I I I I I	•

Section 47 (cont'd)	Section 49 (cont'd)
[ ] Constipation, less than one bowel movement daily. [ ] "Go to pieces" easily, cry easily. [ ] Dislike working under pressure, being watched. [ ] Diminished sex drive. [ ] Gain weight easily, fail to lose on diets. [ ] Difficulty concentrating, easily distracted. [ ] Yellowish tint to skin on hands or feet. [ ] Clogged sinuses. [ ] Low pulse rate. [ ] Low body temperature, especially at bed rest. [ ] Recurrent infections. [ ] Depression. [ ] Headaches. [ ] Puffiness of face or eyes. [ ] Irritability, mood swings. [ ] Multiple food allergies/sensitivities [ ] FEMALE: Menstrual irregularity, excess flow, premenstrual syndrome. [ ] TOTAL x 2 = Sec. 47 SCORE [ ]  SECTION 48	[ ] Bed-wetting, uncontrolled urination. [ ] Enlargement of lymph glands in neck. [ ] Have been called a "hypochondriac". [ ] Insomnia, sleep disturbances. [ ] Heavy sweating not related to exercise. [ ] Fluid retention. [ ] Muscle spasms, aching muscles. [ ] Painful, stiff or swollen joints. [ ] Depression or crying spells. [ ] Sinus attacks. [ ] Catch colds easily. [ ] History of bronchitis or pneumonia. [ ] Hyperactivity. [ ] Constipation or diarrhea. [ ] Marked fluctuations in weight. [ ] Eczema, psoriasis, rashes, dermatitis. [ ] Irritability. [ ] Bladder infections. [ ] Hay fever, sneezing attacks. [ ] Dry stuffy nose, tendency to pick nose. [ ] Runny nose. [ ] Bloating or puffiness in face. [ ] Bronchial asthma. [ ] Migraine headaches.
<ul> <li>Heart beats above 90 beats per minute at rest.</li> <li>Heart palpitations.</li> <li>Protruding tongue quivers, hands shake or tremble.</li> <li>Strong drive followed by exhaustion.</li> <li>Good appetite but fail to gain weight.</li> <li>Erratic, "flighty" behaviour, talk rapidly.</li> <li>Protruding eyeballs.</li> <li>Warm, fine, moist skin.</li> <li>Irritability, nervousness, hyperactivity.</li> <li>Insomnia.</li> <li>Frequent bowel movements, diarrhea.</li> <li>Excessive sweating without exercise.</li> <li>Feel warm &amp; flushed at normal room temperature.</li> <li>TOTAL x 4 = Sec. 48 SCORE [ ]</li> </ul>	SECTION 50  [ ] Repeated use of antibiotics or birth control pills. [ ] Cravings for sugars, bread or alcohol. [ ] Severe reactions to perfume, tobacco or chemical odours. [ ] Hypersensitivity to certain foods. [ ] Diarrhea or constipation. [ ] Rectal itching. [ ] Bladder infections. [ ] Coated or sore tongue. [ ] Feel bad all over, without apparent cause. [ ] Hives, psoriasis or skin rash. [ ] Anxiety or depression.
SECTION 49  [ ] Awake in morning not feeling rested. [ ] An almost "painful" fatigue not helped by rest. [ ] Dark or puffy circles under the eyes. [ ] Spastic colon, colitis, irritable bowel. [ ] Minor, chronic complaints that recur. [ ] High blood pressure.	<ul> <li>[ ] Tiredness, feelings of being "drained".</li> <li>[ ] Feeling "spacey" or "unreal".</li> <li>[ ] FEMALE: Premenstrual tension, menstrual problems, cramps.</li> <li>[ ] FEMALE: Vaginal discharge, burning, itching.</li> <li>[ ] FEMALE: Endometriosis, uterine fibroids.</li> <li>[ ] MALE: prostate problems, impotence.</li> </ul>

SECTION 51	•
[ ] Fingers and/or toes go cold. [ ] Arms and/or legs "go to sleep". [ ] Numbness or heaviness in arms or legs. [ ] Cramps in hand when writing. [ ] Sharp, diagonal crease in earlobe. [ ] Tingling sensation in lips or fingers. [ ] Short walk causes cramping or pains in l. [ ] Memory not as good as it used to be. [ ] Ankles swell late in day. [ ] Persistent, nagging cough. [ ] Breathlessness on slight exertion or lying [ ] Urinate more than twice during night. [ ] High blood pressure. [ ] Whitish ring under outer part of cornea in [ ] Impotent or frigid. [ ] Chest pain after physical exertion or estress.	down.
[ ] TOTAL x 3 = Sec. 51 SCORE [	1
SECTION 52	
<ul> <li>Nervousness, shaky feelings or headaches by eating sweets.</li> <li>Irritable if late for a meal or miss a meal.</li> <li>Irritable before breakfast.</li> <li>Sudden, strong cravings for sweets, considerable.</li> <li>Asthmatic attacks.</li> <li>Get hungry soon after eating.</li> <li>Cold hands or feet.</li> <li>Wake up at night feeling hungry.</li> <li>Wake up in middle of night and can't go sleep.</li> <li>TOTAL x 6 = Sec. 52 SCORE [</li> </ul>	offee, or
SECTION 53	
Tremors of hands or feet. Double vision. Slurred speech. Irritability or impatience.	

Loss of stamina while doing physical work.

Lose temper easily, emotionally unsettled.

1 TOTAL x 8 = Sec. 53 SCORE 1

## SECTION 54

<ol> <li>Muscles weak, weak grip, light objects feel he</li> <li>Muscles wasting in some particular part of bo</li> <li>Numbness of loss of sensation.</li> <li>Objects fall from hands, reach in wrong place things.</li> </ol>					body	y.				
	[	J	TOTAL	x 12 =	Sec.	54 S	CORE	[	]	

## SECTION 55

FEMALE: Indicate which conditions apply only if they occur within 14 days prior to and two days after the menstrual period:

-		transfer to days prior to drive the days drive to
m	en	strual period:
[	1	Anxiety, nervous tension.
ĺ	Ï	Irritability, restlessness.
ĺ	Ì	Depression.
Ī	1	Mood swings, emotional outbursts, crying spells
Ī	1	Dizziness, fainting.
ĺ	Ì	Headache.
ĺ	]	Backache, cramps.
	1	Insomnia.
Ī	Ī	Bloating, weight gain.
Ī	İ	Forgetfulness, confusion.

Increased appetite.
Craving for sweets.
Breast tenderness.
Swelling of hands, feet, edema.
Pounding heart.

] TOTAL x 3 = Sec. 55 SCORE [

If you have not already done so, please add up the numbers you have indicated beside each statement. Multiply this total by the factor indicated to determine the score for each section, each of which corresponds to a possible nutritional imbalance. The higher the weighted score for a given section, the more likely it is that its nutritional imbalance may be related to the bodily signs indicated. For a complete evaluation of the scores, please consult a nutritional counsellor skilled in NUTRI-BODY analysis, or obtain a copy of LISTEN TO YOUR BODY: It Can Tell You What You Need, by David Rowland, PhD, RNC. Both it and additional copies of this NUTRI-BODY questionnaire are available from:

Health Naturally Publications Inc. Box 580, Parry Sound, ON P2A 2X2 (705) 746-7839 Fax (705) 746-7893